Coburn Technologies, Inc.
83 Gerber Road West
South Windsor, CT 06074

Dynamic Labs, Inc.
30 Haynes Ct.
Ronkonkoma, NY, USA, 11779
Telephone: 531-231-7474

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product identifier used on the label

: **Rocket Remover**

Product Code(s) : 338751 and 338761

Recommended use of the chemical and restrictions on use

: Used for removing ink and paint marks from eyeglasses and lens surfaces
Use pattern: Professional Use Only
Restriction on use: None known

Chemical family : Mixture

Name, address, and telephone number of the supplier:

Dynamic Labs, Inc.

30 Haynes Ct.
Ronkonkoma, NY, USA
11779

Supplier's Telephone # : 631-231-7474
8:30 am - 5:30 pm

Name, address, and telephone number of the manufacturer:

Refer to supplier

24 Hr. Emergency Tel # : Chemtrec: 1-800-424-9300 (Within Continental U.S.); 703-527-3887.

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Clear colourless liquid. Ketone odour.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification
Flammable Liquids - Category 2
Serious eye damage/eye irritation - Category 2A
Skin Corrosion/Irritation - Category 2
Carcinogen - Category 2
Specific Target Organ Toxicity, Single Exposure -Category 3 (respiratory)
Specific Target Organ Toxicity, Single Exposure - Category 3 narcotic effects

Label elements

Hazard pictogram(s)

Signal Word

DANGER!

Hazard statement(s)

Highly flammable liquid and vapor.
Causes serious eye irritation.
Causes skin irritation.
May cause respiratory irritation.
May cause drowsiness or dizziness.
Suspected of causing cancer.

SAFETY DATA SHEET

Precautionary statement(s)

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep away from heat, open flames and hot surfaces. - No smoking.
Keep container tightly closed.
Ground and bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Avoid breathing mist or vapours.
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/clothing and eye/face protection.

If exposed or concerned: Get medical attention/advice.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
If skin irritation occurs: Get medical advice/attention.
Wash contaminated clothing before reuse.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
If eye irritation persists: get medical advice/attention.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER or doctor/physician if you feel unwell.
In case of fire: Use water fog, dry chemical, CO2 or 'alcohol' foam for extinction.

Store in a well-ventilated place. Keep cool.
Keep container tightly closed.
Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards

Other hazards which do not result in classification: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical name	Common name and synonyms	CAS #	Concentration
Proprietary	Primary Alcohol	Proprietary	**35.0 - 40.0**
Proprietary	Primary Alcohol	Proprietary	**25.0 - 35.0**
Proprietary	Ester	Proprietary	**15.0 - 25.0**
Methyl isobutyl ketone	4-methylpentan-2-one Isobutyl methyl ketone MIBK	108-10-1	**0.1 - 5.0**
Proprietary	Ester	Proprietary	**0.1 - 5.0**
Proprietary	Secondary Alcohol	Proprietary	**0.1 - 5.0**

The exact concentrations of the above listed chemicals are being withheld as a trade secret as allowed by 29CFR1910.1200.

SAFETY DATA SHEET

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

Ingestion : Call a physician or poison control centre immediately. Do not induce vomiting. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration. Never give anything by mouth to an unconscious person.

Inhalation : If inhaled, move to fresh air. If breathing is difficult, give oxygen by qualified medical personnel only. If breathing has stopped, give artificial respiration. Get medical attention if symptoms persist.

Skin contact : Wash off with soap and plenty of water. If irritation or symptoms develop, seek medical attention. Wash contaminated clothing before re-use.

Eye contact : Immediately flush eyes with running water for at least 15 minutes. Obtain medical attention if irritation persists.

Most important symptoms and effects, both acute and delayed

: Causes serious eye irritation. Symptoms may include redness, pain, tearing and conjunctivitis. May cause respiratory irritation. Symptoms may include upper respiratory irritation, coughing and breathing difficulties. May cause central nervous system effects. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Causes skin irritation. Symptoms may include redness, itching and swelling.

Indication of any immediate medical attention and special treatment needed

: Treat symptomatically. This product is a CNS depressant.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

: Use water fog or fine spray, foams, carbon dioxide or dry chemical. Do not use a solid water stream as it may scatter and spread fire.

Unsuitable extinguishing media

: Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture / Conditions of flammability

: Vapors may travel considerable distance to a source of ignition and flash back. Vapors are heavier than air and may spread along floors. Static discharge, impact, friction, and heat may ignite exposed chemical material.

Flammability classification (OSHA 29 CFR 1910.106)

: Flammable Liquids - Category 2

Hazardous combustion products

: Carbon monoxide, carbon dioxide, toxic vapours, gases or particulates.

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Special fire-fighting procedures

: Fight fires from a safe distance. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

SAFETY DATA SHEET

: Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. Individuals involved in the cleanup must wear appropriate personal protective equipment. For personal protection see section 8.

Environmental precautions : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. For large spills, dike the area to prevent spreading.

Methods and material for containment and cleaning up

: Ventilate area of release. Stop spill or leak at source if safely possible. Dike for water control. Use only non-sparking tools and equipment in the clean-up process. Contain and absorb spilled liquid with inert, non-combustible absorbent material (e.g. sand, vermiculite), then place material into open, unsealed containers. For waste disposal, see Section 13 of the SDS.

Special spill response procedures

: In case of a transportation accident, contact CHEMTREC at 1-800-424-9300 or International at 1-703-527-3887.
US CERCLA Reportable quantity (RQ): (5000 lbs / 2270 kg)

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only in well-ventilated areas. Wear protective gloves/clothing and eye/face protection. Do not ingest or swallow. Avoid breathing vapours. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Keep away from heat and flame. Use only non-sparking tools with this material. Avoid contact with incompatible materials. Keep containers tightly closed when not in use. Empty containers retain residue (liquid and/or vapour) and can be dangerous. Do not use pressure to empty drums. Do not cut, weld, drill or grind on or near this container. Follow labeled warnings even after container is emptied.

Conditions for safe storage : Store in a cool, dry, well-ventilated area. Store away from incompatible materials. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking in the area.

Incompatible materials : Strong oxidizers (e.g. Chlorine, Peroxides, etc.).

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:

Chemical Name	ACGIH TLV		OSHA PEL	
	TWA	STEL	PEL	STEL
Proprietary	N/Av	1000 ppm	1000 ppm (1900 mg/m³)	N/Av
Proprietary	100 ppm	N/Av	200 ppm (500 mg/m³)	N/Av
Proprietary	400 ppm	N/Av	400 ppm (1400 mg/m³)	N/Av
Methyl isobutyl ketone	20 ppm	75 ppm	100 ppm (410 mg/m³)	N/Av
Proprietary	200 ppm	250 ppm	200 ppm (840 mg/m³)	N/Av
Proprietary	200 ppm	400 ppm	400 ppm (980 mg/m³)	N/Av

SAFETY DATA SHEET

Exposure controls

Ventilation and engineering measures
: Ensure adequate ventilation, especially in confined areas. Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits.

Respiratory protection : Respiratory protection is required if the concentrations exceed the TLV. NIOSH-approved respirators are recommended. Advice should be sought from respiratory protection specialists. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02.

Skin protection : Wear gloves impervious to this material. Advice should be sought from glove suppliers.

Eye / face protection : Chemical splash goggles are recommended. A full face shield may also be necessary.

Other protective equipment : An eyewash station and safety shower should be made available in the immediate working area. Depending on conditions of use, an impervious apron should be worn. Other equipment may be required depending on workplace standards.

General hygiene considerations
: Avoid breathing vapour or mist. Avoid contact with skin, eyes and clothing. Do not ingest. Do not eat, drink or smoke when using this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Clear colourless liquid.

Odour : Ketone odour.

Odour threshold : Not available.

pH : N/Av

Melting/Freezing point : - 95°C (- 138°F)

Initial boiling point and boiling range
: 71.6°C (161°F)

Flash point : -1.6°C (29°F)

Flashpoint (Method) : Tag closed cup

Evaporation rate (BuAe = 1) : 1.5

Flammability (solid, gas) : Not applicable.

Lower flammable limit (% by vol.)
: 3%

Upper flammable limit (% by vol.)
: Not available.

Oxidizing properties : None.

Explosive properties : Not explosive

Vapour pressure : 38.5 mmHg

Vapour density : 2.0

Relative density / Specific gravity
: 0.819

Solubility in water : Partially soluble.

Other solubility(ies) : Not available.

Partition coefficient: n-octanol/water or Coefficient of water/oil distribution
: Not available.

Auto-ignition temperature : 371.1°C (700°F)

Decomposition temperature : Not applicable.

Viscosity : Not available.

Volatiles (% by weight) : Not available.

Volatile organic Compounds (VOC's)
: N/Av

SAFETY DATA SHEET

Absolute pressure of container
: N/Ap

Flame projection length : N/Ap

Other physical/chemical comments
: None known or reported by the manufacturer.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not normally reactive.

Chemical stability : Stable under the recommended storage and handling conditions prescribed.

Possibility of hazardous reactions
: Hazardous polymerization will not occur.

Conditions to avoid : Keep away from excessive heat, open flames, sparks and other possible sources of ignition. Avoid contact with incompatible materials. Do not use in areas without adequate ventilation. Avoid heat, open flames, sparks, static electricity and electrical equipment.

Incompatible materials : Strong oxidizers (e.g. Chlorine, Peroxides, etc.).

Hazardous decomposition products
: None known, refer to hazardous combustion products in Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation : YES

Routes of entry skin & eye : YES

Routes of entry Ingestion : YES

Routes of exposure skin absorption
: NO

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation
: May cause irritation of the nose, throat, mucous membranes, and respiratory tract. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects.

Sign and symptoms ingestion
: May cause irritation of mouth, throat, and stomach.

Sign and symptoms skin : Causes skin irritation. Symptoms may include redness, itching and swelling.

Sign and symptoms eyes : Causes serious eye irritation. Symptoms may include redness, pain, tearing and conjunctivitis.

Potential Chronic Health Effects
: Prolonged or repeated skin contact may cause drying and irritation. Prolonged overexposure may cause liver and kidney effects.

Mutagenicity : Not expected to be mutagenic in humans.

Carcinogenicity : This material is classified as hazardous under OSHA regulations (29CFR 1910.1200) (Hazcom 2012). Classification: Carcinogenicity- Category 2 Suspected of causing cancer. Contains Methyl isobutyl ketone. Methyl isobutyl ketone is classified as possibly carcinogenic by IARC (Group 2B) and the ACGIH (Category A3).

Reproductive effects & Teratogenicity
: Not expected to have other reproductive effects.

SAFETY DATA SHEET

Sensitization to material : Not expected to be a skin or respiratory sensitizer.

Specific target organ effects : Eyes, skin, respiratory system, digestive system, central nervous system. Liver

This material is classified as hazardous under OSHA regulations (29CFR 1910.1200) (Hazcom 2012). Classification:
Specific Target Organ Toxicity, Single Exposure -Category 3 (respiratory)
Specific Target Organ Toxicity, Single Exposure - Category 3 narcotic effects

May cause respiratory irritation. May cause drowsiness or dizziness.

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Medical conditions aggravated by overexposure
: Pre-existing skin, eye and respiratory disorders.

Synergistic materials : None known or reported by the manufacturer.

Toxicological data : See below for toxicological data on the substances.

	LC_{50}(4hr)	LD_{50}	
Chemical name	**inh, rat**	**(Oral, rat)**	**(Rabbit, dermal)**
Proprietary	> 32 380 ppm (61 mg/L) (vapour)	7060 mg/kg	> 15 800 mg/kg
Proprietary	> 13 548 ppm (33.8 mg/L) (vapour) (No mortality)	1870 mg/kg	4050 mg/kg
Proprietary	8000 - 16 000 ppm (28.8 - 57.7 mg/L) (vapour)	10 200 mg/kg	> 18 000 mg/kg
Methyl isobutyl ketone	3000 ppm (12.29 mg/L) (vapour)	2080 mg/kg	> 3000 mg/kg
Proprietary	32 mg/L (vapour)	8700 mg/kg	> 17 800 mg/kg
Proprietary	17 000 ppm (41.8 mg/L) (vapour)	4720 mg/kg	12 890 mg/kg

Other important toxicological hazards
: None known or reported by the manufacturer.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity : See the following tables for individual ingredient ecotoxicity data.

Ecotoxicity data:

Ingredients	**CAS No**	**Toxicity to Fish**		
		LC50 / 96h	**NOEC / 21 day**	**M Factor**
Proprietary	Proprietary	> 100 mg/L (Fathead minnow)	N/Av	None.
Proprietary	Proprietary	4555 mg/L (Fathead minnow)	N/Av	None.
Proprietary	Proprietary	> 100 mg/L	N/Av	None.
Methyl isobutyl ketone	108-10-1	780 mg/L (Fathead minnow)	N/Av	None.
Proprietary	Proprietary	60 mg/L (Fathead minnow)	N/Av	None.
Proprietary	Proprietary	9640 mg/L (Fathead minnow)	N/Av	None.

SAFETY DATA SHEET

Ingredients	CAS No	Toxicity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor
Proprietary	Proprietary	5012 mg/L (Daphnia magna)	N/Av	None.
Proprietary	Proprietary	3644 mg/L (Daphnia magna)	> 100 mg/L	None.
Proprietary	Proprietary	> 100 mg/L	N/Av	None.
Methyl isobutyl ketone	108-10-1	> 200 mg/L (Daphnia magna)	30 mg/L	None.
Proprietary	Proprietary	91.5 mg/L (Daphnia magna)	N/Av	None.
Proprietary	Proprietary	> 10 000 mg/L/24hr (Daphnia magna)	N/Av	None.

Ingredients	CAS No	Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
Proprietary	Proprietary	1000 mg/L/96hr (Green algae)	N/Av	None.
Proprietary	Proprietary	N/Av	N/Av	None.
Proprietary	Proprietary	> 100 mg/L/72hr	N/Av	None.
Methyl isobutyl ketone	108-10-1	400 mg/L/96hr (Green algae)	N/Av	None.
Proprietary	Proprietary	672 mg/L/72hr (Green algae)	83.2 mg/L/72hr	None.
Proprietary	Proprietary	N/Av	N/Av	None.

Persistence and degradability

: Readily biodegradable.

Bioaccumulation potential : No data is available on the product itself.

Components	Partition coefficent n-octanol/ater (log Kow)	Bioconcentration factor (BCF)
Proprietary	- 0.31	Not expected to bioaccumulate.
Proprietary	0.88	3
Proprietary	0.73	30 species: fish
Methyl isobutyl ketone (CAS 108-10-1)	1.31	3.98
Proprietary	1.4	3
Proprietary	0.05	1.0

Mobility in soil : No data is available on the product itself.

Other Adverse Environmental effects

: No data is available on the product itself.

SAFETY DATA SHEET

SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal : See Section 7 (Handling and Storage) for further details. Empty containers retain residue (liquid and/or vapour) and can be dangerous. Do not cut, weld, drill or grind on or near this container.

Methods of Disposal : Dispose in accordance with all applicable federal, state, provincial and local regulations.

RCRA : If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method.

SECTION 14. TRANSPORTATION INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
49CFR/DOT	UN1993	Flammable Liquids, n.o.s. (Ethanol)	3	II	
49CFR/DOT Additional information	May be shipped as LIMITED QUANTITY when transported in cans no larger than 1 L, in packages not exceeding 30 kg gross mass.				
ICAO/IATA	UN1993	Flammable liquid, n.o.s. (Ethanol)	3	II	
ICAO/IATA Additional information	Refer to ICAO/IATA Packing Instruction				
IMDG	UN1993	FLAMMABLE LIQUID, N.O.S. (Ethyl Alcohol)	3	II	
IMDG Additional information	May be shipped as a Limited Quantity. Consult the IMDG regulations for details.				

Special precautions for user : Keep away from heat, sparks and open flame. - No smoking.

Environmental hazards : See ECOLOGICAL INFORMATION, Section 12.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not available.

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

SAFETY DATA SHEET

Ingredients	CAS #	TSCA Inventory	CERCLA Reportable Quantity(RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical	
					Toxic Chemical	de minimus Concentration
Proprietary	Proprietary	Yes	None.	None.	No	N/Ap
Proprietary	Proprietary	Yes	None.	None.	No	N/Ap
Proprietary	Proprietary	Yes	5000 lb/ 2270 kg	None.	No	N/Ap
Methyl isobutyl ketone	108-10-1	Yes	5000 lb/ 2270 kg	None.	Yes	1%
Proprietary	Proprietary	Yes	None.	None.	No	N/Ap
Proprietary	Proprietary	Yes	None.	None.	Yes	1%

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Fire Hazard; Immediate (Acute) health hazard ;Chronic Health Hazard. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

Ingredients	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Proprietary	Proprietary	Yes	:r (in alcoholic bever:	Yes	Yes	Yes	Yes	Yes	Yes
Proprietary	Proprietary	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes
Proprietary	Proprietary	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes
Methyl isobutyl ketone	108-10-1	Yes	ancer; Developmen	Yes	Yes	Yes	Yes	Yes	Yes
Proprietary	Proprietary	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes
Proprietary	Proprietary	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes

Canadian Information:

WHMIS Classification: Refer to Section 2 for a WHMIS Classification for this product.
All ingredients are present on the DSL.

International Information:

Components listed below are present on the following International Inventory list:

SAFETY DATA SHEET

Ingredients	CAS #	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Proprietary	Proprietary	200-578-6	Present	Present	(2)-202	KE-13217	Present	HSR001144
Proprietary	Proprietary	200-746-9	Present	Present	(2)-207	KE-29362	Present	HSR001215
Proprietary	Proprietary	205-500-4	Present	Present	(2)-726	KE-00047	Present	HSR001041
Methyl isobutyl ketone	108-10-1	203-550-1	Present	Present	(2)-542	KE-24725	Present	HSR001194
Proprietary	Proprietary	203-686-1	Present	Present	(2)-727	KE-29778	Present	HSR001217
Proprietary	Proprietary	200-661-7	Present	Present	(2)-207	KE-29363	Present	HSR001180

SECTION 16. OTHER INFORMATION

Legend :

ACGIH: American Conference of Governmental Industrial Hygienists
CA: California
CAS: Chemical Abstract Services
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980
CFR: Code of Federal Regulations
CNS: Central Nervous System
CSA: Canadian Standards Association
DOT: Department of Transportation
EPA: Environmental Protection Agency
HMIS: Hazardous Materials Identification System
HSDB: Hazardous Substances Data Bank
IARC: International Agency for Research on Cancer
Inh: Inhalation
IUCLID: International Uniform ChemicaL Information Database
LC: Lethal Concentration
LD: Lethal Dose
MA: Massachusetts
MN: Minnesota
N/Ap: Not Applicable
N/Av: Not Available
NFPA: National Fire Protection Association
NIOSH: National Institute of Occupational Safety and Health
NJ: New Jersey
NTP: National Toxicology Program
OSHA: Occupational Safety and Health Administration
PA: Pennsylvania
PEL: Permissible exposure limit
RCRA: Resource Conservation and Recovery Act
RI: Rhode Island
RTECS: Registry of Toxic Effects of Chemical Substances
SARA: Superfund Amendments and Reauthorization Act
STEL: Short Term Exposure Limit
TDG: Canadian Transportation of Dangerous Goods Act & Regulations
TLV: Threshold Limit Values
TWA: Time Weighted Average
WHMIS: Workplace Hazardous Materials Identification System

References :

Canadian Centre for Occupational Health and Safety, CCInfoWeb Databases, 2015 (Chempendium, RTECs, HSDB, INCHEM).
European Chemicals Agency, Classification Legislation, 2015
OECD- The Global Portal to Information on Chemical Substances - eChemPortal, 2015

Material Safety Data Sheet from manufacturer

SAFETY DATA SHEET

Preparation Date (mm/dd/yyyy)

: 11/23/2015

Other special considerations for handling

: Provide adequate information, instruction and training for operators.

Prepared for: Dynamic Labs, Inc. 30 Haynes Ct. Ronkonkoma, NY 11779	
Prepared by: ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada) http://www.thecompliancecenter.com	icc ComplianceCenter

DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by / obtained from Dynamic Labs, Inc. and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Dynamic Labs, Inc. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Dynamic Labs, Inc.

END OF DOCUMENT